

Section 1 - Identification

Product Name Smart Streptavidin Magnetic IP/Co-IP Kit
Cat. No. MAGP101-K10T, MAGP101-K50T
Product Type Liquid
Company Bio Basic Asia Pacific Pte Ltd.
2 International Business Park Road Strategy #01-04,
Singapore 609930
Telephone (+65) 6954 2519 / (+65) 6491 5938
Email sg@biobasic-asia.com

For Research Use Only. Not for use in diagnostic procedures.

Section 2 - Hazards Identification

GHS-Classification

Classification of the Substance of mixture Acute Toxicity-Oral-Category 3 and 4
Acute Toxicity-Dermal-Category 2
Acute Toxicity-Inhalation-Category 1 and 2
Hazardous To Aquatic Environment-Short-Term (Acute) Hazard-Category 1 and 3
Hazardous to Aquatic Environment-Long-Term (Chronic) Hazard-Category 1 and 2

Signal Word Danger

Hazard Pictograms



Hazard Statements H301 - Toxic if swallowed
H302 - Harmful if swallowed
H310 - Fatal in contact with skin
H315 - Causes skin irritation
H318 - Causes serious eye damage
H330 - Fatal if inhaled
H402 - Harmful to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention P260-Do not breathe gas/mist/vapor/spray.
P262-Do not get in eyes, on skin, or on clothing.
P264-Wash hands and other parts of the body (if related) thoroughly after handling.
P270-Do not eat, drink or smoke when using this product.
P271-Use only outdoors or with adequate ventilation.
P273-Avoid release to the environment.
P280-Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P284-In case of inadequate ventilation wear respiratory protection.

[Required under safety and health regulations for shipping and handling]

Response	<p>P310+P312+P330-IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.</p> <p>P320-Specific treatment is urgent (see related instructions on the label).</p> <p>P321-Specific treatment (see related instructions on the label).</p> <p>P322-Specific treatment (see on the label).</p> <p>P330-Rinse mouth.</p> <p>P361-Take off immediately all contaminated clothing.</p> <p>P363-Wash contaminated clothing before reuse.</p> <p>P391-Collect spillage.</p> <p>P302+P350-IF ON SKIN: Wash with plenty of soap and water.</p> <p>P304+P340-IF INHALED: Remove the person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338 + P310-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.</p> <p>P332+P313-If skin irritation occurs: Get medical advice/ attention.</p>
Storage	<p>P405-Store locked up.</p> <p>P403+P233-Store in a well-ventilated place. Keep container tightly closed.</p>
Disposal	<p>P501 - Dispose of contents/container to all local, regional, national and international regulations.</p>
Physical hazards	<p>No information available</p>
Healthy hazards	
Inhaled	<p>Inhalation of vapors or aerosols (mists, fumes), generated by the product during the course of normal handling, may produce severe toxic effects; these may be fatal</p>
Ingestion	<p>Toxic effects may result from the accidental ingestion of the product</p>
Skin Contact	<p>Skin contact with the product may produce severely toxic effects; systemic effects may result following absorption and these may be fatal</p>
Eye	<p>This product may cause temporary discomfort following direct contact with eye</p>
Environmental Hazards	<p>This product is toxic to aquatic life with long lasting effects. Please refer to 12th chapter of SDS</p>

Section 3 - Composition / Information on Ingredients

Substance/Mixture	Mixture	
Component	CAS No.	Weight %
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one	55965-84-9	<= 0.05
Sorbitan monolaurate, ethoxylated	9005-64-5	<= 0.01
Triton-X-100	9002-93-1	<= 100

SAFETY DATA SHEET

[Required under safety and health regulations for shipping and handling]

Section 4 - First Aid Measures

Skin Contact	Take off contaminated clothing and shoes immediately. Wash off with plenty of soap and water for at least 15 minutes and consult a physician if feel uncomfortable.
Eye Contact	Check for and remove any contact lenses. In case of contact, rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
Inhalation	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
Ingestion	If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
General advice	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Protecting of first aiders	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

For additional information on toxicity, please refer to Section 11.

Advice for protecting the rescuer

Remove all sources of ignition and increase ventilation. Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use personal protective equipment including respirators.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Symptoms may be delayed.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media	Use extinguishing media suitable for surrounding area. SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam.
Unsuitable Extinguishing Media	Do not use water jet.
Specific Hazards arising from the chemical	Development of hazardous combustion gases or vapor is possible in the event of fire. May expansion or decompose explosively when heated or involved in fire.
Advice for firefighters	As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear. Fight fire from a safe distance, with adequate cover. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 - Accidental Release Measures

Personal precautions, protective equipment and emergency procedures

Personal precautions, protective equipment and emergency procedures	Use personal protective equipment (Splash goggles, Full suit, Boots, Gloves), do not breathe gas/mist/vapor/spray. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Use appropriate tools to put the spilled solid in a convenient waste disposal container. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
--	---

[Required under safety and health regulations for shipping and handling]

Environmental precautions	Prevent further leakage or spillage if safe to do so. Discharge into the environment must be avoided.
Methods for Cleaning Up	Cut off the source of the leak as much as possible. Keep leaks in a ventilated place. Absorb spilled material in dry sand or inert absorbent. In case of large amounts of spillage, contain a spill by bunding. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Contain spillage and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container or bag for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

Section 7 - Handling and Storage

Precautions for handling	Handling is performed in a well-ventilated place. Avoid Inhalation. Wear suitable protective equipment. Avoid contact with skin and eyes. Keep away from heat / sparks / open flames / hot surfaces. Avoid prolonged or repeated exposure.
Precautions for storage	Store at 2-8°C, do not freeze. Keep containers tightly closed and sealed until ready for use. Keep containers in a dry, cool and well-ventilated place. Keep away from heat/sparks/open flames/hot surfaces. Store away from incompatible materials and foodstuff containers. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Section 8 - Exposure Controls/Personal Protection Equipment

Control parameters

Occupational Exposure limit values

No relevant regulations

Biological limit values

No relevant regulations

Monitoring methods

EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. GBZ/T 300 series standard Determination of toxic substances in workplace air.

Engineering controls

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit. Set up emergency exit and necessary risk-elimination area.

Environmental controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

General Hygiene Measures

Wash thoroughly after handling it.

Personal Protective Equipment

Eye protection	Must wear appropriate safety goggles.
Hand protection	Must wear appropriate chemical protective gloves.
Respiratory protection	Must wear appropriate personal dustproof gas mask.
Skin and body protection	Must wear appropriate chemical protective clothing and chemical resistant shoes.

Section 9 - Physical and Chemical Properties

Appearance	Liquid
Color	MagPoly Beads: Black or brown; Neutralization Buffer/IP Lysis Wash (5x,Enhanced) Buffer/IP Elution Buffer: Colorless
Odor	No information available
Odor threshold	No information available
pH	No information available
Melting/freezing point (°C)	22.2 (1atm, reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one) , Melting point: 6 °C
Initial boiling point/range (°C)	> 100 (Sorbitan monolaurate, ethoxylated) , > 200 °C at 1,013 hPa
Flash point (Closed cup, °C)	> 126 (Sorbitan monolaurate, ethoxylated) , 251 °C - closed cup
Evaporation rate	No information available
Flammability	No information available
Upper/lower explosive limits[%(v/v)]	Upper limit: No information available; Lower limit: No information available
Vapor pressure	< 0.1kPa (Sorbitan monolaurate, ethoxylated)
Vapor density (Air = 1)	< 0.1 (Sorbitan monolaurate, ethoxylated)
Relative density (Water=1)	1.07 (Sorbitan monolaurate, ethoxylated)
Solubility(mg/L)	Miscible with water (Sorbitan monolaurate, ethoxylated)
n-octanol/water partition coefficient	1.23 - 3.86 (Sorbitan monolaurate, ethoxylated)
Auto-ignition temperature (°C)	No information available
Decomposition temperature (°C)	No information available
Kinematic viscosity(mm²/s)	No information available

Section 10 - Stability and Reactivity

Reactivity	Contact with incompatible substances can cause decomposition or other chemical reactions.
Chemical stability	Stable under proper operation and storage conditions.
Incompatible materials	No information available.



SAFETY DATA SHEET

[Required under safety and health regulations for shipping and handling]

Possibility of hazardous reactions No information available.

Hazardous decomposition products Under normal conditions of storage and use, hazardous decomposition of products should not occur.

Conditions to avoid Incompatible materials, heat, flame and spark.

Section 11 - Toxicological Information

Information on toxicological effects

Acute toxicity

Component/ Cas No.	LD ₅₀ (oral)	LD ₅₀ (dermal)	LC ₅₀ (inhalation,4h)
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one	53mg/kg (Rat)	No information available	0.171mg/L(Rat)
Sorbitan monolaurate, ethoxylated	> 33000mg/kg (Mouse)	No information available	No information available
Triton-X-100	1900-5000 mg/kg(Rat)	>3000 mg/kg(Rabbit)	No information available

Carcinogenicity

Component/ Cas No.	IARC	NTP
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one	Not Listed	Not Listed
Sorbitan monolaurate, ethoxylated	Not Listed	Not Listed
Triton-X-100	Not Listed	Not Listed

Others

Skin corrosion/irritation May cause skin irritation

Serious eye damage/irritation Risk of serious damage to eyes

Skin sensitization/absorption May be harmful if absorbed through the skin

Respiratory sensitization Material may be irritating to mucous membranes and upper respiratory tract, May be harmful if inhaled

Reproductive toxicity Based on available data, the classification criteria are not met

STOT-single exposure Based on available data, the classification criteria are not met

STOT-repeated exposure Based on available data, the classification criteria are not met

Aspiration hazard May be harmful if swallowed

Germ cell mutagenicity Based on available data, the classification criteria are not met

Reproductive toxicity(additional) Based on available data, the classification criteria are not met



SAFETY DATA SHEET

[Required under safety and health regulations for shipping and handling]

Section 12 - Ecological Information

Product/ingredient name

Acute aquatic toxicity

Component	Fish	Crustaceans	Algae
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one	LC50: 0.19mg/L (96h) (Fish)	EC50: 0.16mg/L (48h) (Crustaceans)	ErC50: 0.0199mg/L (72h) (Algae)
Triton-X-100	LC50: 0.26mg/L (96h) (Fish)	EC50: 0.011mg/L (48h) (Water flea)	EC50: 1.9mg/L (96h) (Green algae)

Chronic aquatic toxicity

Component	Fish	Crustaceans	Algae
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one	NOEC: 0.02mg/L(Fish)	No information available	No information available
Triton-X-100	NOEC: 0.012mg/L(Fish)	NOEC: 0.03mg/L (Water flea)	No information available

Persistence and degradability

Component	Cas No.	Persistence (water/soil)	Persistence (air)
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one	55965-84-9	High	High
Triton-X-100	9002-93-1	High	High

Bioaccumulative potential

Component	Cas No.	Bioaccumulative potential	comments
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one	55965-84-9	Low	Log Kow=0.0444

Mobility in soil

Component	Cas No.	Mobility in soil	Soil Organic Carbon-Water Partitioning Coefficient (Koc)
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one	55965-84-9	Low	45.15

Results of PBT and vPvB assessment

Component	Cas No.	Results of PBT and vPvB assessment (according to (EC) No 1907/2006)
Sorbitan monolaurate, ethoxylated	9005-64-5	Not PBT/vPvB
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one	55965-84-9	Insufficient information, temporarily unable to evaluate
Triton-X-100	9002-93-1	Not PBT/vPvB

SAFETY DATA SHEET

[Required under safety and health regulations for shipping and handling]

Section 13 - Disposal Considerations

Waste chemicals	Before disposal, refer to the relevant national and local laws and regulations. Recommend the use of incineration disposal.
Contaminated packaging	Containers may still present chemical hazards when empty. Keep away from heat and ignition sources of fire.
Disposal recommendations	Refer to section waste chemicals and contaminated packaging. Contact a licensed professional waste disposal service to dispose of this material.

Section 14 - Transport Information

Transporting Label	Not applicable
IMDG-CODE	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
ICAO/IATA-DGR	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
UN-ADR	NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS
Methods of packing	Packaging as recommended by manufacturer. Packing Group III (IP Lysis Wash Buffer Enhanced)
Precautions for transport	Transport vehicles should be equipped with the appropriate variety and quantity of fire equipment and emergency equipment leakage during transport. Before transport, should be preceded by checking whether container integrity, sealing. The transport unit must be placarded and marked in accordance with relevant transporting requirements.

Section 15 - Regulatory Information

International Chemical Inventory

Component	EC inventory	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AIIC	ENCS
Sorbitan monolaurate, ethoxylated	√	√	√	√	√	√	√	√	√
reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-2H -isothiazol-3-one	x	x	√	√	√	√	√	x	√
Triton-X-100	x	x	x	x	x	x	x	x	x

【EC inventory】 European Inventory of Existing Commercial Chemical Substances

【TSCA】 United States Toxic Substances Control Act Inventory

【DSL】 Canadian Domestic Substances List

【IECSC】 China Inventory of Existing Chemical Substances

【NZIoC】 New Zealand Inventory of Chemicals

【PICCS】 Philippines Inventory of Chemicals and Chemical Substances

【KECI】 Korea Existing Chemicals Inventory

【AIIC】 Australia. Inventory of Industrial Chemicals (AIIC)

【ENCS】 Japan Inventory of Existing & New Chemical Substances

Note :

“√” Indicates that the substance included in the regulations

“x” That no data or included in the regulations

Section 16 - Other Information

Creation date 10/26/2013

Revision date 01/19/2024

Key to abbreviations

BCF - Bioconcentration Factor

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

LogPow - logarithm of the octanol/water partition coefficient

UN = United Nations

For Research Use Only. Not for use in diagnostic procedures.

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS